

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

DITRAC[®]

ALL WEATHER BLOX[™] RODENTICIDE

ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM
Contains Denatonium Benzoate (Bittering Agent)

READY TO USE BLOCK BAIT

FOR USE IN DAMP OR DRY SITUATIONS
in and around industrial, commercial, agricultural and domestic buildings.

CONTROLS SPECIES RESISTANT TO WARFARIN

PRIMARY PACK
CONTAINS 400 x 20 g RODENT BLOCKS

WHICH ARE ILLEGAL TO SELL SEPARATELY.
DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

NET 8 kg

Manufactured by:
 **Bell**
LABORATORIES, INC.
www.belllabs.com
Madison, Wisconsin 53704 U.S.A.

Australian Agent:
Bell Australia Pty Ltd.
Level 18 King George Central
145 Ann Street
Brisbane, QLD 4000
Australia
EMERGENCY CONTACT NO. (02) 9647 2111

DO NOT exceed 3m between bait stations for mice or 9m for rats.
DO NOT use bait stations further than 2 m from buildings.
DO NOT apply baits to crops.

DIRECTIONS FOR USE

Baiting Strategy: Eliminate as far as practicable, all other food sources. Bait areas where conditions might encourage rodent activity. Place bait under cover. Inspect bait stations regularly [during routine inspections]. Replace eaten or old/deteriorated baits. If quickly eaten, increase number of baits. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

For mice: use single blocks. In very high infestation or fast uptake of the bait use 2 blocks.

For rats: use 1 or more blocks depending on level of infestation. In very high infestation or fast uptake use more baits per bait station.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Agricultural Commercial Domestic Industrial	Rats (<i>Rattus rattus</i> <i>Rattus norvegicus</i>) Mice (<i>Mus musculus</i>)	1 or more blocks per bait station depending on level of infestation.	Set out baits in places frequented by mice and rats but not more than 2m away from buildings etc. For rats: Place 1 or more blocks per bait station at intervals of 5–9 m depending on level of uptake and infestation For mice: Place 1–2 blocks at 2–3 m intervals. In very high infestations and when using larger bait stations use more blocks per station and use the shorter distance between bait stations.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS
AUTHORISED UNDER APPROPRIATE LEGISLATION.

THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES
PERMISSION FROM WILDLIFE AUTHORITIES.

GENERAL INSTRUCTIONS

Locate bait stations along walls or rafters and in dark sheltered spots in which there are signs of rodent activity. Nail or fix in place if relevant. Wax blocks are particularly suitable for use in damp situations where risk of contamination should be minimized. Record the number and locations of bait stations for purpose of replenishment and later removal. Most deaths occur 4 to 7 days after consumption of bait.

PRECAUTIONS

Keep away from food and water and surfaces which come in contact with food and water.

PROTECTIONS OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, streams, rivers, watercourses or drains with the bait or used container.
The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use.
DO NOT place baits in locations which are accessible to domestic animals, livestock, non-target native animals or birds. The product is restricted to use in and around buildings, (within 2 metres) of enclosed spaces.

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

DITRAC®

ALL WEATHER BLOX™ RODENTICIDE

ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM
Contains Denatonium Benzoate (Bittering Agent)

READY TO USE BLOCK BAIT
FOR USE IN DAMP
OR DRY SITUATIONS

in and around industrial, commercial,
agricultural and domestic buildings.

CONTROLS SPECIES RESISTANT TO WARFARIN

PRIMARY PACK
CONTAINS 400 x 20 g RODENT BLOCKS
WHICH ARE ILLEGAL TO SELL SEPARATELY.
DO NOT DESTROY OUTER CONTAINER WHILE
PRODUCT STILL REMAINS.

NET 8 kg

Manufactured by:



Australian Agent:
Bell Australia Pty Ltd.
Level 18 King George Central
145 Ann Street
Brisbane, QLD 4000
Australia

EMERGENCY CONTACT NO. (02) 9647 2111

STORAGE AND DISPOSAL

Store in the closed original container in a well ventilated area, as cool as possible. Do NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food and feedstuffs, seed and fertilisers. Do not destroy chemicals on site. Break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when rodent activity has ceased.

SAFETY DIRECTIONS

Poisonous if swallowed. Do not inhale dust. Do not touch the bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water. Vitamin K₁ (Phytomenadione) is antidotal.

FIRST AID INSTRUCTIONS

If poisoning occurs, contact a doctor or the Poisons Information Centre phone Australia 13 11 26; New Zealand 0800 764 766.

SDS

For further information please refer to the Safety Data Sheet which can be obtained from the supplier.

CONDITIONS OF SALE

The use of DITRAC® All Weather Blox™ Rodenticide is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose. Bell Laboratories, Inc. cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.

APVMA Approval No.: 49867/113105

GHS Hazard and Precautionary Statements

May cause damage to organs through prolonged or repeated exposure.

Do not eat, drink or smoke when using this product. Avoid release to the environment. If eye irritation persists: seek medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. In case of fire: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

040618/10-17mod

Batch No.:

D.O.M.:

Product Code: 933006

587DA-6