

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

| Product name | : | Ecobrite Softener Fresh |
|---------------------------------|---|-----------------------------------|
| UFI | : | 4G5R-JRN2-D10C-FVJR |
| Product code | : | 114337E |
| Use of the Substance/Mixture | : | Laundry softener |
| Substance type: | : | Mixture |
| | | For professional users only. |
| Product dilution information | : | No dilution information provided. |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | : Conditioner (softner/starch). Semi automat Conditioner (softener/starch). Automatic pr | |
|---------------------------------|---|----|
| Recommended restrictions on use | : Reserved for industrial and professional us | e. |

1.3 Details of the supplier of the safety data sheet

| Company | : | Ecolab a.s Innspurten 9 Postboks 6440-Etterstad, N-0605 Oslo Norway +47 22 68 18 00 NO-kundeservice@ecolab.com |
|---------|---|---|
| | | |

1.4 Emergency telephone number

| Emergency telephone number | : | +4785295496 +32-(0)3-575-5555 Trans-European |
|--|---|---|
| Poison Information Centre telephone number | : | +47 22 59 13 00 |

Date of Compilation/Revision : 03.02.2023 Version : 1.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

Special labelling of certain : Safety data sheet available on request. mixtures

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

| Chemical Name | CAS-No. EC-No. | Classification REGULATION (EC) No 1272/2008 | Concentration : [%] | | |
|--|---|---|------------------------|--|--|
| | REACH No. | | | | |
| tea-esterquats | 91995-81-2 295-344-3 01-2119463889-16 | Skin irritation Category 2; H315 Eye irritation Category 2; H319 | >= 2.5 - < 5 | | |
| For the full text of the H-Statements mentioned in this Section, see Section 16. | | | | | |

For the full text of the H-Statements mentioned in this Section, see Section Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

| In case of eye contact | : Rinse with plenty of water. |
|-------------------------|---|
| In case of skin contact | : Rinse with plenty of water. |
| If swallowed | : Rinse mouth. Get medical attention if symptoms occur. |
| If inhaled | : Get medical attention if symptoms occur. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment

: No specific measures identified.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

| Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|--------------------------------|---|---|
| Unsuitable extinguishing media | : | None known. |

5.2 Special hazards arising from the substance or mixture

| Specific hazards during firefighting | : | Not flammable or combustible. |
|---|---|--|
| Hazardous combustion products | : | Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus |
| 5.3 Advice for firefighters | | |
| Special protective equipment for firefighters | : | Use personal protective equipment. |
| Further information | : | Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

| Advice for non-emergency personnel | : | Refer to protective measures listed in sections 7 and 8. |
|---------------------------------------|---|--|
| Advice for emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. |

6.2 Environmental precautions

6.3 Methods and materials for containment and cleaning up

| Methods for cleaning up | : | Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |
|-------------------------|---|---|
|-------------------------|---|---|

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

| Hygiene measures | : Wash hands before breaks and immediately after handling the product. |
|---|--|
| 7.2 Conditions for safe storage, | including any incompatibilities |
| Requirements for storage areas and containers | : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. |
| Storage temperature | : 5 °C to 40 °C |
| 7.3 Specific end uses | |
| Specific use(s) | : Conditioner (softner/starch). Semi automatic process Conditioner (softener/starch). Automatic process |

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

| • | | | | |
|-------------------|---------|------------------|--------------------|--------------|
| Components | CAS-No. | Value type (Form | Control parameters | Basis |
| | | of exposure) | | |
| Isopropyl Alcohol | 67-63-0 | TWA | 100 ppm | FOR-2011-12- |
| | | | 245 mg/m3 | 06-1358 |

DNEL

| DNEL | |
|-------------------|---|
| Isopropyl Alcohol | End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects 888 mg/kg End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 500 mg/m3 End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects 319 mg/kg End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects 319 mg/kg End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 89 mg/m3 End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects 26 mg/kg |
| oxydipropanol | End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 238 mg/m3 End Use: Workers |

| | Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 84 mg/cm2 |
|--|--|
| | End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 70 mg/m3 |
| | End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 51 mg/cm2 |
| | End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 24 ppm |
| | |

PNEC

| PNEC | | |
|-------------------|---|---|
| Isopropyl Alcohol | : | Fresh water Value: 140.9 mg/l |
| | | Marine water Value: 140.9 mg/l |
| | | Intermittent use/release Value: 140.9 mg/l |
| | | Fresh water Value: 552 mg/kg |
| | | Marine sediment Value: 552 mg/kg |
| | | Soil Value: 28 mg/kg |
| | | Sewage treatment plant Value: 2251 mg/l |
| | | Oral Value: 160 mg/kg |
| | | |
| oxydipropanol | : | Fresh water Value: 0.1 mg/l |
| | | Marine water Value: 0.01 mg/l |
| | | Fresh water Value: 1 mg/l |
| | | Intermittent use/release Value: 2 mg/l |
| | | |

| Fresh water sediment Value: 0.238 mg/kg |
|--|
| Marine sediment Value: 0.0238 mg/kg |
| Sewage treatment plant Value: 1000 mg/l |
| Soil Value: 0.0253 mg/kg |
| Oral Value: 313 mg/kg |
| |

8.2 Exposure controls

Appropriate engineering controls

| Engineering measures | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|--|------|---|
| Individual protection measur | res | i |
| Hygiene measures | : | Wash hands before breaks and immediately after handling the product. |
| Eye/face protection (EN 166) | : | No special protective equipment required. |
| Hand protection (EN 374) | : | No special protective equipment required. |
| Skin and body protection (EN 14605) | : | No special protective equipment required. |
| Respiratory protection (EN 143, 14387) | : | None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization. |
| Environmental exposure cor | atr. | |

Environmental exposure controls

```
General advice
```

: Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Physical state | : liquid |
|--------------------------|------------------------|
| Colour | : blue |
| Odour | : Perfumes, fragrances |
| рН | : 2.5 - 3.5, 100 % |
| Particle characteristics | |

| Assessment | : | not applicable |
|--|---|--|
| Particle size | : | not applicable |
| Particle Size Distribution | : | not applicable |
| Dustiness | : | not applicable |
| Specific surface area | : | not applicable |
| Surface charge/Zeta potential | : | not applicable |
| Shape | : | not applicable |
| Crystallinity | : | not applicable |
| Surface treatment /Coatings | : | not applicable |
| Flash point | : | Not applicable. |
| Odour Threshold | : | Not applicable and/or not determined for the mixture |
| Melting point/freezing point | : | Not applicable and/or not determined for the mixture |
| Boiling point, initial boiling point and boiling range | : | Not applicable and/or not determined for the mixture |
| Evaporation rate | : | Not applicable and/or not determined for the mixture |
| Flammability | : | Not applicable and/or not determined for the mixture |
| Upper explosion limit | : | Not applicable and/or not determined for the mixture |
| Lower explosion limit | : | Not applicable and/or not determined for the mixture |
| Vapour pressure | : | Not applicable and/or not determined for the mixture |
| Relative vapour density | : | Not applicable and/or not determined for the mixture |
| Density and / or relative density | : | 0.994 - 1.004 |
| Water solubility | : | soluble |
| Solubility in other solvents | : | Not applicable and/or not determined for the mixture |
| Partition coefficient: n- octanol/water (log value) | : | Not applicable and/or not determined for the mixture |
| Auto-ignition temperature | : | Not applicable and/or not determined for the mixture |
| Thermal decomposition | : | Not applicable and/or not determined for the mixture |
| Viscosity, kinematic | : | 20.056 mm2/s (40 °C) |
| | | Not opplicable and/or not determined for the minimum |
| Explosive properties | : | Not applicable and/or not determined for the mixture |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| | | |

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Bases

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Information on likely routes of exposure | : | Inhalation, Eye contact, Skin contact |
|--|---|--|
| Product | | |
| Acute oral toxicity | : | There is no data available for this product. |
| Acute inhalation toxicity | : | There is no data available for this product. |
| Acute dermal toxicity | : | There is no data available for this product. |
| Skin corrosion/irritation | : | There is no data available for this product. |
| Serious eye damage/eye irritation | : | There is no data available for this product. |
| Respiratory or skin sensitization | : | There is no data available for this product. |
| Carcinogenicity | : | There is no data available for this product. |
| Reproductive effects | : | There is no data available for this product. |
| Germ cell mutagenicity | : | There is no data available for this product. |
| Teratogenicity | : | There is no data available for this product. |
| STOT - single exposure | : | There is no data available for this product. |

| : There is no data available for this product. |
|--|
| : There is no data available for this product. |
| |
| : Health injuries are not known or expected under normal use. |
| : Health injuries are not known or expected under normal use. |
| : Health injuries are not known or expected under normal use. |
| : Health injuries are not known or expected under normal use. |
| : Health injuries are not known or expected under normal use. |
| osure |
| : No symptoms known or expected. |
| ls |
| : no data available |
| RMATION |
| |
| : This product has no known ecotoxicological effects. |
| This product has no known ecotoxicological effects. |
| |
| : no data available |
| : no data available |
| : no data available |
| |
| : tea-esterquats 72 h EC50: 0.93 mg/l |
| ity |
| |
| : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation |
| |

Components

| Biodegradability | : tea-esterquats |
|------------------|-----------------------|
| | Result: Biodegradable |

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

12.7 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

| Product | : | Diluted product can be flushed to sanitary sewer if regulations permit. |
|-----------------------------------|---|--|
| Contaminated packaging | : | Dispose of in accordance with local, state, and federal regulations. |
| Guidance for Waste Code selection | : | Organic wastes containing not dangerous substances with concentration >= 0.1%. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations. |

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

| 14.1 UN number or ID number | : Not dangerous goods |
|------------------------------|-----------------------|
| 14.2 UN proper shipping | : Not dangerous goods |
| name | |
| 14.3 Transport hazard | : Not dangerous goods |
| class(es) | |
| 14.4 Packing group | : Not dangerous goods |
| 14.5 Environmental hazards | : Not dangerous goods |
| 14.6 Special precautions for | : Not dangerous goods |
| user | |

Air transport (IATA)

| 14.1 UN number or ID | : Not dangerous goods |
|------------------------------|-----------------------|
| number | |
| 14.2 UN proper shipping | : Not dangerous goods |
| name | |
| 14.3 Transport hazard | : Not dangerous goods |
| class(es) | |
| 14.4 Packing group | : Not dangerous goods |
| 14.5 Environmental hazards | : Not dangerous goods |
| 14.6 Special precautions for | : Not dangerous goods |
| user | |

Sea transport (IMDG/IMO)

| 14.1 UN number or ID number | : Not dangerous goods |
|------------------------------|-----------------------|
| 14.2 UN proper shipping | : Not dangerous goods |
| name | |
| 14.3 Transport hazard | : Not dangerous goods |
| class(es) | |
| 14.4 Packing group | : Not dangerous goods |
| 14.5 Environmental hazards | : Not dangerous goods |
| 14.6 Special precautions for | : Not dangerous goods |
| user | |
| 14.7 Maritime transport in | : Not dangerous goods |
| bulk according to IMO | |
| instruments | |

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| according to Detergents Regulation EC 648/2004 | : | less than 5 %: Cationic surfactants Other constituents: Perfumes Allergens: Benzyl salicylateLimoneneAlpha-Isomethyl IononeLinaloolHexyl cinnamalCitronellolGeraniolCoumarin |
|---|---|--|
| Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major- accident hazards involving dangerous substances. | : | Not applicable. |

Candidate List of Substances : Not applicable. of Very High Concern for Authorisation

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : Health and Safety at Work Act.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

| Classification | Justification |
|---------------------------------------|--------------------|
| Not a hazardous substance or mixture. | Calculation method |

Full text of H-Statements

| H315 | Causes skin irritation. |
|------|--------------------------------|
| H319 | Causes serious eye irritation. |

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical

Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

Exposure Scenario: Conditioner (softener/starch). Automatic process

| Life Cycle Stage | : | Use at indus | strial sites |
|------------------|---|--------------|--|
| Product category | : | PC35 | Washing and cleaning products (including solvent based products) |

Contributing scenario controlling environmental exposure for:

| Environmental release category | : | ERC4 | Industrial use of processing aids in processes and products, not becoming part of articles |
|-----------------------------------|---|-------------|--|
| Daily amount per site | : | 50 kg | |
| Type of Sewage Treatment Plant | : | Municipal s | ewage treatment plant |

Contributing scenario controlling worker exposure for:

| Process category | : | PROC8b | Transfer of substance or preparation (chargi discharging) from/ to vessels/ large containe dedicated facilities | |
|---|---|-------------|---|---|
| Exposure duration | : | 60 min | | |
| Operational conditions and risk management measures | : | Indoor | | |
| | | Local Exha | ust Ventilation is not required | |
| General ventilation | | Ventilation | rate per hour | 1 |
| Skin Protection | : | see section | 8 | |
| Respiratory Protection | : | see section | 8 | |

Contributing scenario controlling worker exposure for:

| Process category | : | PROC2 | Use in closed, continuous process with occa controlled exposure | isional |
|---|---|---------------|--|---------|
| Exposure duration | : | 480 min | | |
| Operational conditions and risk management measures | : | Indoor | | |
| | | Local Exha | ust Ventilation is not required | |
| General ventilation | | Ventilation I | ate per hour | 1 |
| Skin Protection | : | see section | 8 | |
| Respiratory Protection | : | see section | 8 | |

Exposure Scenario: Conditioner (softner/starch). Semi automatic process

| Life Cycle Stage | : | Widespread | d use by professional workers |
|------------------|---|------------|--|
| Product category | : | PC35 | Washing and cleaning products (including solvent based products) |

Contributing scenario controlling environmental exposure for:

| Environmental release category | : | ERC8a | Wide dispersive indoor use of processing aids in open systems |
|-----------------------------------|---|-------------|---|
| Daily amount per site | : | 7.5 kg | |
| Type of Sewage Treatment Plant | : | Municipal s | ewage treatment plant |

Contributing scenario controlling worker exposure for:

| Process category | : | PROC8a | Transfer of substance or preparation (charging discharging) from/ to vessels/ large containers dedicated facilities | | |
|--|---|-------------|---|----|--|
| Exposure duration | : | 60 min | | | |
| Operational conditions and risk management measures | : | Indoor | | | |
| | | Local Exha | ust Ventilation is not required | | |
| General ventilation | | Ventilation | rate per hour 1 | | |
| Skin Protection | : | see section | 8 | | |
| Respiratory Protection | : | see section | 8 | | |
| | | | | | |
| Contributing scenario controlling worker exposure for: | | | | | |
| Process category | : | PROC1 | Use in closed process, no likelihood of exposu | re | |
| Exposure duration | : | 480 min | | | |

| Operational conditions and risk management measures | : | Indoor |
|---|---|---|
| | | Local Exhaust Ventilation is not required |
| General ventilation | | Ventilation rate per hour |
| Skin Protection | : | see section 8 |
| Respiratory Protection | : | see section 8 |

1