

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	E-Z ON
Other means of identification	:	Not applicable
Recommended use	:	Floor care product
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	Product is sold ready to use.
Company	:	Ecolab Inc. 370 N. Wabasha Street St. Paul, Minnesota USA 55102 1-800-352-5326
Emergency telephone	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	08/29/2014

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids:Acute toxicity (Dermal):Eye irritation:Carcinogenicity:Reproductive toxicity:Specific target organ:systemic toxicity - single:exposure:	Category 3 Category 4 Category 2B Category 2 Category 2 Category 3 (Respiratory system, Central nervous system)
GHS Label element	
Hazard pictograms :	
Signal Word :	Warning
Hazard Statements :	Flammable liquid and vapor. Harmful in contact with skin. Causes eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. Suspected of damaging fertility or the unborn child.
Precautionary Statements :	Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash

	ventilated area. protection. Use Response: IF ON SKIN (or clothing. Rinse to fresh air and IN EYES: Rinse contact lenses, or concerned: G Get medical adv reuse. In case of foam for extinct Storage: Store in a well-ventilated Disposal:	Wear protective gloves personal protective equi- hair): Remove/ Take o skin with water/ showe keep at rest in a position cautiously with water f if present and easy to o bet medical advice/ atter vice/ attention. Wash co of fire: Use dry sand, dr ion.	ff immediately all contaminated r. IF INHALED: Remove victim on comfortable for breathing. IF for several minutes. Remove do. Continue rinsing. IF exposed ention. If eye irritation persists: ontaminated clothing before y chemical or alcohol-resistant
Other hazards	: None known.		
SECTION 3. COMPOSITION/IN	FORMATION ON	INGREDIENTS	
Pure substance/mixture :	Mixture		
Chemical Name distillates (petroleum), hydrotrea octamethylcyclotetrasiloxane Aromatic hydrocarbons ethylbenzene	ted light	CAS-No. 64742-47-8 556-67-2 1330-20-7 100-41-4	Concentration (%) 30 - 60 10 - 30 1 - 5 0.1 - 1
SECTION 4. FIRST AID MEASU	JRES		
-	: Rinse with plen		
In case of skin contact	a mild soap if av	vailable. Wash clothing	ater for at least 15 minutes. Use before reuse. Thoroughly clean tion if irritation develops and

If swallowed	Rinse mouth. Get medical attention if symptoms occur.	
If inhaled	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.	
Protection of first-aiders	If potential for exposure exists refer to Section 8 for specific personal protective equipment.	ıl

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet

Specific hazards during fire fighting	:	Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.	
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus	
Special protective equipment for fire-fighters	:	Use personal protective equipment.	
Specific extinguishing methods	:	Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.	
SECTION 6. ACCIDENTAL R	EL	EASE MEASURES	
Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.	
Environmental precautions	:	Do not allow contact with soil, surface or ground water.	
Methods and materials for containment and cleaning up	:	Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.	
SECTION 7. HANDLING AND STORAGE			
Advice on safe handling	:	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling.	
Conditions for safe storage	:	Keep away from heat and sources of ignition. Keep in a cool, well- ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.	
Storage temperature	:	0 °C to 35 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of	Permissible	Basis
-------------	---------	---------	-------------	-------

E-Z ON

		exposure	concentration	
distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3	ACGIH
ethylbenzene	100-41-4	TWA	20 ppm	ACGIH
		TWA	100 ppm 435 mg/m3	NIOSH REL
		STEL	125 ppm 545 mg/m3	NIOSH REL
		TWA	100 ppm 435 mg/m3	OSHA Z1

Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Personal protective equipme	nt	
Eye protection	:	No special protective equipment required.
Hand protection	:	No special protective equipment required.

Skin protection	: No special protective equipment required.
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, amber
Odor	: hydrocarbon-like
рН	: Not applicable
Flash point	: 41 °C closed cup
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0.815 - 0.825
Water solubility	: insoluble
Solubility in other solvents	: No data available

E-Z ON

Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: 38.000 mm2/s (40 °C)
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Organic materials
Hazardous decomposition products	 Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

Potential Health Effects

Eyes	:	Causes eye irritation.
Skin	:	Harmful in contact with skin.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	May cause respiratory tract irritation. May cause nose, throat, and lung irritation. Inhalation may cause central nervous system effects.
Chronic Exposure	:	Suspected of damaging fertility or the unborn child. Suspected of causing cancer.

Experience with human exposure

Eye contact	:	Redness, Irritation
Skin contact	:	No information available.
Ingestion	:	No symptoms known or expected.

E-Z ON	
Inhalation	Respiratory irritation, Cough, Dizziness, Drowsiness
Toxicity	
Acute oral toxicity	Acute toxicity estimate : 2,516 mg/kg
Acute inhalation toxicity	No data available
Acute dermal toxicity	Acute toxicity estimate : 1,430 mg/kg
Skin corrosion/irritation	No data available
Serious eye damage/eye irritation	Mild eye irritation
Respiratory or skin sensitization	No data available
Carcinogenicity	
IARC	Group 2B: Possibly carcinogenic to humans ethylbenzene 100-41-4
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive effects	No data available
Germ cell mutagenicity	No data available
Teratogenicity	No data available
STOT-single exposure	No data available
STOT-repeated exposure	No data available
Aspiration toxicity	No data available
Ingredients	
Acute inhalation toxicity	ethylbenzene 4 h LC50 Rat: 17.4 mg/l

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
Product	
Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available
Ingredients	
Toxicity to fish	 distillates (petroleum), hydrotreated light 96 h LC50: > 1,000 mg/l

Ingredients

E-Z ON

Toxicity to daphnia and other aquatic invertebrates	 distillates (petroleum), hydrotreated light 72 h EC50: > 1,000 mg/l
	ethylbenzene 48 h EC50 Daphnia : 1.81 mg/l
Ingredients	
Toxicity to algae	 distillates (petroleum), hydrotreated light 48 h EC50: > 1,000 mg/l
Persistence and degradabilit	Y .
No data available	-
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
No data available	
SECTION 13. DISPOSAL CON	ISIDERATIONS
BECHEN 13: DIELOCAE CON	
Disposal methods	: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers.
RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste	: D002 (Corrosive)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

UN number	: 1268
Description of the goods	: PETROLEUM DISTILLATES, N.O.S.
Class	: 3
Packing group	: 111
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Aromatic hydrocarbons	1330-20-7	100	2463

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Acute Health Hazard Chronic Health Hazard Fire Hazard		
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	The following components are subject to reporting levels established by SARA Title III, Section 313:		
	Aromatic hydrocarbons	1330-20-7	4.06 %
	ethylbenzene	100-41-4	0.85 %

California Prop 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

ethylbenzene	100-41-4
--------------	----------

The ingredients of this product are reported in the following inventories:

1907/2006 (EU) : not determined

Switzerland. New notified substances and declared preparations : The mixture contains substances listed on the Swiss Inventory not determined

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory : not determined

Japan. ISHL - Inventory of Chemical Substances (METI) : not determined


Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined

China. Inventory of Existing Chemical Substances in China (IECSC) : not determined

SECTION 16. OTHER INFORMATION



REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.